

Certificate of Conformity

Certificate Number: CN-PV-200157

On the basis of the tests undertaken, the samples of the below product have been found to comply with the requirements of the referenced specification/standard at the time the tests were carried out. It does not imply that Intertek has performed any surveillance or control of the manufacture. The manufacturer shall ensure that the manufacturing process assures compliance of the production units with the examined products mentioned in this certificate.

Applicant:	Zucchetti Centro Sistemi SpA Via Lungarno 305/A 52028 Terranuova Bracciolini (AR) Italy
Product:	Solar Grid-tied Inverter
Ratings & Principle Characteristics:	See Annex to Certificate of Conformity
Model:	AZZURRO 3PH 4.4KTL-V1, AZZURRO 3PH 5.5KTL-V1, AZZURRO 3PH 6.6KTL-V1, AZZURRO 3PH 8.8KTL-V1, AZZURRO 3PH 11KTL-V1, AZZURRO 3PH 12KTL-V1
Brand Name:	
Tested according to:	Royal Decree 1699/2011, of 18 November, which regulates the connection to network of production facilities for low power electricity
Certificate Issuing Office Name & Address:	Intertek Testing Services Ltd. Shanghai West Area, 2 nd Floor, No. 707, Zhangyang Road China (Shanghai) Pilot Free Trade Zone, Shanghai, P. R. China
Test Report No.:	201022060GZU-006

Additional information in Appendix.

(muste

Signature

Certification Manager: Grady Ye Date: 26 November 2020

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.



APPENDIX: Certificate of Conformity

This is an Appendix to Certificate of Conformity Number: CN-PV-200157

Ratings & Principle	For model: AZZURRO 3PH 4.4KTL-V1
Characteristics:	DC input:
	Max. PV Voltage: 1000Vdc; DC MPPT Voltage Range: 160-960Vdc; Max input current:2X11A; Max. PV Isc: 2X14A
	AC output:
	Nominal Output Voltage: 3W/N/PE 230Vac/400Vac; Nominal Frequency: 50H Max. Output Current: 3*6.4A; Nominal Output Power: 4000W; Max. Apparen Power: 4.4kVA; Power Factor: 0.8 Leading – 0.8 Lagging Ambient Temperature: -25°C - +60°C IP65, Class I
	For model: AZZURRO 3PH 5.5KTL-V1
	DC input:
	Max. PV Voltage: 1000Vdc; DC MPPT Voltage Range: 160-960Vdc; Max input current:2X11A; Max. PV Isc: 2X14A
	AC output:
	Nominal Output Voltage: 3W/N/PE 230Vac/400Vac; Nominal Frequency: 50H Max. Output Current: 3*8.0A; Nominal Output Power: 5000W; Max. Apparen Power: 5.5kVA; Power Factor: 0.8 Leading – 0.8 Lagging
	Ambient Temperature: -25°C - +60°C
	IP65, Class I
	For model: AZZURRO 3PH 6.6KTL-V1
	DC input:
	Max. PV Voltage: 1000Vdc; DC MPPT Voltage Range: 160-960Vdc; Max input current:2X11A; Max. PV Isc: 2X14A
	AC output:
	Nominal Output Voltage: 3W/N/PE 230Vac/400Vac; Nominal Frequency: 50H Max. Output Current: 3*9.6A; Nominal Output Power: 6000W; Max. Apparen
	Power: 6.6kVA; Power Factor: 0.8 Leading – 0.8 Lagging
	Ambient Temperature: -25°C - +60°C
	IP65, Class I

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.



APPENDIX: Certificate of Conformity

This is an Appendix to Certificate of Conformity Number: CN-PV-200157

Ratings & Principle	For model: AZZURRO 3PH 8.8KTL-V1
Characteristics:	DC input:
	Max. PV Voltage: 1000Vdc; DC MPPT Voltage Range: 160-960Vdc; Max input current:2X11A; Max. PV Isc: 2X14A
	AC output:
	Nominal Output Voltage: 3W/N/PE 230Vac/400Vac; Nominal Frequency: 50Hz Max. Output Current: 3*12.8A; Nominal Output Power: 8000W; Max. Apparen Power: 8.8kVA; Power Factor: 0.8 Leading – 0.8 Lagging
	Ambient Temperature: -25° C - +60°C
	IP65, Class I
	For model: AZZURRO 3PH 11KTL-V1
	DC input:
	Max. PV Voltage: 1000Vdc; DC MPPT Voltage Range: 160-960Vdc; Max input current:2X11A; Max. PV Isc: 2X14A
	AC output:
	Nominal Output Voltage: 3W/N/PE 230Vac/400Vac; Nominal Frequency: 50Hz Max. Output Current: 3*15.9A; Nominal Output Power: 10000W; Max.
	Apparent Power: 11.0kVA; Power Factor: 0.8 Leading – 0.8 Lagging
	Ambient Temperature: -25° C - +60°C
	IP65, Class I
	For model: AZZURRO 3PH 12KTL-V1
	DC input:
	Max. PV Voltage: 1000Vdc; DC MPPT Voltage Range: 160-960Vdc; Max input current:2X11A; Max. PV Isc: 2X14A
	AC output:
	Nominal Output Voltage: 3W/N/PE 230Vac/400Vac; Nominal Frequency: 50Hz Max. Output Current: 3*19.1A; Nominal Output Power: 12000W; Max.
	Apparent Power: 13.2kVA; Power Factor: 0.8 Leading – 0.8 Lagging Ambient Temperature: -25°C - +60°C
	IP65, Class I
Software version:	V1.00

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.