



## VERIFICATION OF COMPLIANCE

No.: GZES2012035497PV

Applicant: Shenzhen SOFARSOLAR Co., Ltd.  
401, Building 4, AnTongDa Industrial Park, District 68, XingDong  
Community, XinAn Street, BaoAn District, Shenzhen, Guangdong, China

Manufacturer: Shenzhen SOFARSOLAR Co., Ltd.  
401, Building 4, AnTongDa Industrial Park, District 68, XingDong  
Community, XinAn Street, BaoAn District, Shenzhen, Guangdong, China

Product Name: Three phase Utility interactive inverter

Product Description: Inverter used in PV system

Model No.: SOFAR 75KTL; SOFAR 80KTL;  
SOFAR 100KTL; SOFAR 110KTL;  
SOFAR 100KTL-HV; SOFAR 125KTL-HV; SOFAR 136KTL-HV;

Trade Mark: 

Rating: Refer to page 2

Intended Use: PV System

Protection against Electric Shock: Class I

Degree of Protection: IP 66

Additional Information (if any): Firmware version: ARM V020010; DSPS V020010; DSPM V020010;  
(DSPM is the main controller, DSPS is the sub-controller and ARM is the  
communication control)

Sufficient samples of the product have been tested and found to be in conformity with

Test Standard: VDE V 0126-1-1: 2013  
(include the requirement of Enedis-PRO-RES\_10E:26/06/2020)

UTE C15-712-1 (JUILET 2013)

as shown in the

Test Report Number(s): GZES201203549701, GZES201203549702

This Verification of Compliance has been granted to the applicant based on the results of tests, performed by Laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on sample of the above-mentioned product in accordance with the provisions of the relevant specific standards.



David Guo  
Senior Technical Manager  
SGS-CSTC



2021-03-19

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)



No.:

GZES2012035497PV

Other information added:  
Ratings:

Model	SOFAR 75KTL	SOFAR 80KTL	SOFAR 100KTL	SOFAR 110KTL	SOFAR 100KTL -HV	SOFAR 125KTL -HV	SOFAR 136KTL -HV
<b>DC Input</b>							
Max. DC voltage	1100V						
Rated input voltage	625V	625V	625V	625V	725V	725V	785V
Start-up operating voltage	200V						
MPPT voltage range	180V~1000V						
Full power MPPT voltage range	500V-850V				550V-850V		
Max. input current	8*26A	8*26A	10*26A	10*26A	10*26A	10*26A	12*26A
Max. input short circuit current	8*40A	8*40A	10*40A	10*40A	10*40A	10*40A	12*40A
<b>AC Output</b>							
Rated AC Output power (kW)	75kW	80kW	100kW	110kW	100kW	125kW	136kW
Max. AC Output power (kVA)	75kVA	88kVA	110kVA	121kVA	110kVA	137kVA	150kVA
Rated current	109A	116A	145A	159A	115A	144A	145A
Max. output current	113A	128A	160A	175A	128A	160A	160A
Nominal grid voltage	3/N/PE, 230V/400V				3/PE, 500V		3/PE, 540V
Nominal output frequency	50Hz						
Output power factor	1 default (adjustable +/-0.8)						
Operating temperature range	-30°C ~60°C						
Ingress protection	IP66						
Protective class	Class I						

David Guo  
Senior Technical Manager  
SGS-CSTC

2021-03-19

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)